



UAP
LIMITED

Introduction

UAP Limited was established in 1996 and has since become a leading UK supplier and distributor of decorative door hardware and specialised Locksmith tools and security products. With 18 years of quality products, excellent service and competitive prices, UAP has grown from strength to strength, year on year and expanded significantly. We have an in house Research & Development Department, meaning we are constantly enhancing our current ranges as well as introducing innovative state-of-the-art products that are not only practical and beautifully designed, but also put through stringent quality control checks at every stage of development. From door knockers, door viewers, letterplates, letters and numerals to cylinder locks, security products and more, all of our products are available in a wide range of sizes, colours, materials and finishes to ensure we can meet every possible requirement.



48 Hour Delivery Policy*

Our 48 hour delivery promise is targeted on all stocked products.

5 Year Product Guarantee

All products inside this brochure come with up to a 5 year guarantee except the Nanocoast® range which is a lifetime coating guarantees.

Salt Spray Testing

All of our letterplates in this catalogue have been salt spray tested to ASTM B117 for 480 hours, apart from the Nanocoast® range which has been salt spray tested for 2,000 hours.

Anodised Coatings

The anodised coating used on our Aluminium Letterplates conform to ISO 7599 AA15 and comes with a 10 year colour fastness guarantee.

Guarantee

The guarantees mentioned in this brochure are for guidance only and unless otherwise stated, only relates to products being used in inland areas which are defined as 25 miles from the coast, or 5 miles from highly polluted industrial areas. Please ask your UAP account manager for copies of the guarantee wording covering your product of interest and please talk to your account manager about any specific application you might have.

*48 hours means 2 working days. Product colours may vary slightly from the actual photograph.

An ethical approach to business

'Quality Products That Don't Cost The Earth' isn't just our sales slogan, but a statement about our wider philosophy.

It means we value our people and our planet and we are keen to make a positive difference to the wider communities we touch through our work and via the profits we make.

For everyone at UAP, our ethical policy isn't just a statement that is allowed to gather dust in a file somewhere, but rather something we all show through taking real action. So in practice this means;

Reducing our carbon footprint

Thanks to the UK registered charity 'www.pattfoundation.org' we have offset all of our carbon emissions. We have funded the planting of more than 56,000 trees over the course of a three year reforestation project, which will enable the reintroduction of many endangered and native wildlife. We have also finished the installation of solar panels on our buildings.



School projects

After teaming up with local charity, DCWC Nepal, we have helped to fund the building of 5 much needed community primary schools in one of the poorest countries in the world. Before the scheme, children as young as 5 years old had to endure an exhausting and dangerous 4 hour walk to and from school, 6 days a week. To raise awareness of this worthy cause, we have worked closely with former Coronation Street star Sean Wilson, best known as Martin Platt, who opened the schools on our behalf. To date, the scheme has given more than 1,000 children the opportunity to learn and better their lives.

Charity support

In 2010, we hosted a Charity Ball to raise vital funds for DCWC Nepal to immunise 10,000 children from tuberculosis. In the wake of the 2011 tsunami and earthquake disaster in Japan, we supported the Red Cross through donations. We have also supported Comic Relief through the charity bids known as Twit Relief. On top of this, several members of staff participate in charity runs every year to raise money for The Christie and Breast Cancer Research UK.



Brands

UAP

Our outlet for decorative door hardware and security products for the trade.

MAX6MUM SECURITY®

Our outlet for decorative door hardware and security products for the retail market.

TradeLocks

Our outlet for specialised locksmith tools and security products for the trade.

Hidden Fix

Our patent applied for technology which leaves no visible signs of product fixings to doors.

Salamander®

Our fire check product range which will resist the spread of fire for up to 60 minutes.

Nanocoast®

Our pollution and corrosion resistant product range made from 304 grade stainless steel with lifetime coating guarantees.

Anti-Vandal™

Our products that are safer by design to protect products and property from vandalism.



48 Hour Delivery Policy*

Our 48 hour delivery promise is targeted on all stocked products.

5 Year Product Guarantee

All products inside this brochure come with up to a 5 year guarantee except the Nanocoast® range which is a lifetime coating guarantee.

Salt Spray Testing

All of our letterplates in this catalogue have been salt spray tested to ASTM B117 for 480 hours, apart from the Nanocoast® range which has been salt spray tested for 2,000 hours.

Anodised Coatings

The anodised coating used on our Aluminium Letterplates conform to ISO 7599 AA15 and comes with a 10 year colour fastness guarantee.

Guarantee

The guarantees mentioned in this brochure are for guidance only and unless otherwise stated, only relates to products being used in inland areas which are defined as 25 miles from the coast, or 5 miles from highly polluted industrial areas. Please ask your UAP account manager for copies of the guarantee wording covering your product of interest and please talk to your account manager about any specific application you might have.

*48 hours means 2 working days. Product colours may vary slightly from the actual photograph.

nanocoast®
hardware
Resilient to salt air



Our Nanocoast® range of products are specifically designed for areas which are within a 25 mile radius of the coast, or within 5 miles of highly populated industrial areas. Made from 304 grade stainless steel, each product in the range has been salt spray tested to ASTM B117 for 2,000 hours, and comes with an industry first LIFETIME coating guarantee, as the products will not pit, rust or corrode no matter what environments you put them in!

Why Have We Used 304 Grade Stainless Steel?

We believe 304 grade stainless steel is the perfect grade of stainless steel to use at the coast for the cost price versus performance of the products. 304 grade is an austenitic stainless steel, containing 18% chromium and 8% nickel, and also a low carbon content. Due to this it has an excellent corrosion resistance in a wide variety of environments, and has good resistance to oxidation.

Downgrading the stainless steel quality to a 200 series grade stainless steel, means that even though they have similar mechanical and physical properties to the 304 grade, there is decreased nickel content. The nickel is replaced by manganese which results in weak corrosion resistance, and high carbon content leaves the stainless steel susceptible to stress corrosion cracking. Upgrading to 316 grade stainless steel is a lot more expensive than 304 grade stainless steel, which will dramatically put up the price of products, and only slightly increases the corrosion resistance as it contains 18% chromium and 10% nickel. However it shares similar characteristics to 304 grade stainless steel in resistance to oxidation and durability. 316 grade is usually used when you need a higher resistance to solutions such as sulfuric acid and chlorides at high temperatures.

Features and Benefits

- All products made from 304 grade stainless steel
- Salt spray tested to ASTM B117:2005 for 2,000 hours
- LIFETIME coating guarantee ANYWHERE in the country
- Doesn't rust or pit at the coast
- Huge range of suited and colour matched products
- Available in 3 finishes:
Mirror Polished, PVD Gold and Satin Stainless
- Competitively priced

The iPlate[®] has been designed to be the most up to date and relevant letterplate in the industry. We consulted with the Royal Mail during the design to make it the safest letterplate on the market. The iPlate[®] is targeted at all door manufacturers and fabricators wanting to offer 21st Century features including:

Totally Frameless & Slim Design – There is no frame on the letterplate, making it look very modern. The thickness of the letterplate is also the slimmest back to front dimension in the industry.

Variable Sizes – Initially suitable for 40-80mm door profiles, the letterplate has sacrificial cut lines on for 24mm and 28mm uPVC door panels.

Soft, Flexible Brushes – The brushes are made from plastic, and are moulded in to remove the lost brush issues on inferior products.

Click to Close Feature – This Patent Pending design uses magnets to keep the letterplate closed and secure.


Gravity Close Mechanism – This unique Patent Pending design stops the flap slamming down, preventing fingers being caught.

Unique Un-Sprung Hinge – As the letterplate uses no springs, and uses gravity to close the letterplate, it eliminates the 'broken spring' syndrome.





For 24–80mm Door Profiles



iPlate®

Finishes	Product Code	Material Construction	Coating Guarantee
Gold Anodised	IPLATEGA	Aluminium	10 Years Colour Fast
Silver Anodised	IPLATESA	Aluminium	10 Years Colour Fast
Black Powder Coat	IPLATEB	Aluminium	10 Years Colour Fast
White Powder Coat	IPLATEW	Aluminium	10 Years Colour Fast
PVD Gold	IPLATEPVDG	Stainless Steel	Lifetime
Mirror Polished	IPLATEMPSS	Stainless Steel	Lifetime
Satin Stainless	IPLATESSS	Stainless Steel	Lifetime

Sizes	
Distance Between Screw Holes	280mm
Letterplate Length	310mm
Letterplate Height	75mm
Letterplate Width	24-80mm
Cavity Hole Size	257mm x 42mm


Available in



DOORMASTER® For 40–80mm Door Profiles

The all New DOORMASTER® letterplate range is ideal for customers wanting a more modern and contemporary looking letterplate. The DOORMASTER® range consists of an enclosed, rounded flap set against a shallower frame, giving a less intrusive but sleek feel to the door or frame.

DOORMASTER® still retains the best elements of the ever popular Framemaster® range including brushes to the outside, 180 degree flap opening and available in 250mm (10") and 300mm (12") sizes. It also conforms to the requirements of EN13724.



12" Sizes	
Distance Between Screw Holes	280mm
Letterplate Length	310mm
Letterplate Height	75mm
Letterplate Width	24-80mm
Cavity Hole Size	250mm x 42mm

10" Sizes	
Distance Between Screw Holes	226mm
Letterplate Length	250mm
Letterplate Height	65mm
Letterplate Width	Plastic
Cavity Hole Size	205mm x 39.75mm

Doormaster®

Finishes	Product Code 10"	Product Code 12"	Plastic Frame Colour	Flap Material	Coating Guarantee
Gold Anodised	DMB1048G	DMB1248G	Black	Aluminium	5 Years
Silver Anodised	DMB1048S	DMB1248S	Black	Aluminium	5 Years
Black Powder Coat	DMB1048B	DMB1248B	Black	Aluminium	5 Years
White Powder Coat	DMB1048W	DMB1248W	Black	Aluminium	5 Years
Polished Silver	DMB1048PS	DMB1248PS	Black	Aluminium	5 Years



Anti-Vandal™ Letterplates

Our Anti-Vandal™ letterplates are one of the only letterplates in the industry to be awarded 'Secured by Design' certification. Each letterplate has been engineered to provide features not found in any other letterplates, each incorporating the following features:

Anti-Vandal™ – We are the only letterplate in the industry to have the brushes outward facing on the exterior flap. By doing this, it has three huge advantages:

Draught Proofing – It allows for better draught installation, as it stops the draught at the point of entry instead of allowing it to get into the central cavity before trying to stop it.

Navigation – It makes it a lot easier for letters to be posted through the door as the brushes can easily be located therefore stopping letters being scrunched up.


Limits Access to the Cavity – As the brushes are at the front, it acts as a visual deterrent against vandals who want access to the cavity to place unwanted items in there such as fireworks etc.

Anti-Snap – All of our letterplates open 180 degrees, meaning that they won't snap off when they are opened too far (the problem with all 90 degree opening letterplates).

Each letterplate has ultra-flexible springs which can withstand thousands of openings without breaking. An internal water seal also prevents water getting into the door, as water travels along the cavity and down the side of the letterplate, meaning post does not get wet.

Anti-Burglar – Blind bolts to the exterior of the letterplate prevent the outer frame being unscrewed from the door externally.



Anti-Scratch – The plastic frame letterplates have a matt coated frame. This helps to conceal any scratches that may be caused by screwdrivers during installation, which are visible on shiny finishes.



Anti-Vandal

As the brushes are at the front, it acts as a visual deterrent against vandals who want access to the cavity to place unwanted items in there such as fireworks etc.

12" All Stainless Steel Letterplates
For 40–80mm Door Profiles



Finishes	Product Code	Material Construction	Coating Guarantee	Sizes
PVD Gold	FMSS1248PVDG	Stainless Steel	Lifetime	Distance Between Screw Holes 272mm
Mirror Polished	FMSS1248MPSS	Stainless Steel	Lifetime	Letterplate Length 300mm
Satin Stainless	FMSS1248SSS	Stainless Steel	Lifetime	Letterplate Height 76mm
				Letterplate Width 40-80mm
				Cavity Hole Size 257mm x 42mm

Available in



12" All Aluminium Letterplates
For 40–80mm Door Profiles



Black Powder Coat

Silver Anodised

White Powder Coat


Polished Silver

Gold Anodised

Finishes	Product Code	Material Construction	Coating Guarantee	Sizes	
Gold Anodised	FMG1248G	Aluminium	10 Years Colour Fast	Distance Between Screw Holes	272mm
Silver Anodised	FMS1248S	Aluminium	10 Years Colour Fast	Letterplate Length	300mm
White Powder Coat	FMW1248WALU	Aluminium	10 Years Colour Fast	Letterplate Height	76mm
Black Powder Coat	FMB1248BALU	Aluminium	10 Years Colour Fast	Letterplate Width	40-80mm
Polished Silver	FMP1248PS	Aluminium	5 Years inland	Cavity Hole Size	257mm x 39.75mm




12" Framemaster Letterplates
For 20–40mm and 40–80mm Door Profiles



39 mm Sleeve Height

39mm cavity requires a 39.75mm door cut height. This is under the 40mm maximum for the standard, so someone's arm can't fit through.





Finishes	Product Code 20-40mm	Product Code 40-80mm	Plastic Frame Colour	Flap Material	Coating Guarantee
Gold Anodised	FMB1224G	FMB1248G	Black	Aluminium	5 Years
Silver Anodised	FMB1224SA	FMB1248SA	Black	Aluminium	5 Years
White Powder Coat	FMB1224W	FMB1248W	Black	Aluminium	5 Years
Black Powder Coat	FMB1224B	FMB1248B	Black	Aluminium	5 Years
PVD Gold	FMB1224PVDG	FMB1248PVDG	Black	Stainless Steel	Lifetime
Mirror Polished	FMB1224MPSS	FMB1248MPSS	Black	Stainless Steel	Lifetime
Satin Stainless	FMB1224SSS	FMB1248SSS	Black	Stainless Steel	Lifetime
White Powder Coat	FMW1224W	FMW1248W	White	Aluminium	5 Years

Sizes	
Distance Between Screw Holes	280mm
Letterplate Length	300mm
Letterplate Height	65mm
Frame Material	Plastic
Cavity Hole Size	250mm x 39.75mm



10" Petitemaster Letterplates
For 20–40mm and 40–80mm Door Profiles




Finishes	Product Code 20-40mm	Product Code 40-80mm	Plastic Frame Colour	Flap Material	Coating Guarantee
Gold Anodised	PMB1024G	PMB1048G	Black	Aluminium	5 Years
Silver Anodised	PMB1024SA	PMB1048SA	Black	Aluminium	5 Years
White Powder Coat	PMB1024W	PMB1048W	Black	Aluminium	5 Years
Black Powder Coat	PMB1024B	PMB1048B	Black	Aluminium	5 Years
PVD Gold	PMB1024PVDG	PMB1048PVDG	Black	Stainless Steel	Lifetime
Mirror Polished	PMB1024MPSS	PMB1048MPSS	Black	Stainless Steel	Lifetime
White Powder Coat	PMW1024W	PMW1048W	White	Aluminium	5 Years

Sizes	
Distance Between Screw Holes	226mm
Letterplate Length	250mm
Letterplate Height	65mm
Frame Material	Plastic
Cavity Hole Size	197mm 39.75mm

Available in



12" Slimline Letterplates
For 40–80mm Door Profiles



**17
mm
Postal
Height**

Gap wide enough to fit thick letters and brochures through



Black Powder Coat



Gold Anodised



PVD Gold



Mirror Polished



Silver Anodised



White Powder Coat

Finishes	Product Code 40-80mm	Plastic Frame Colour	Flap Material	Coating Guarantee	Sizes	
Gold Anodised	SLB1248G	Black	Aluminium	5 Years	Distance Between Screw Holes	280mm
Silver Anodised	SLB1248SA	Black	Aluminium	5 Years	Letterplate Length	300mm
White Powder Coat	SLB1248W	Black	Aluminium	5 Years	Letterplate Height	50mm
Black Powder Coat	SLB1248B	Black	Aluminium	5 Years	Frame Material	Plastic
PVD Gold	SLB1248PVDG	Black	Stainless Steel	Lifetime	Cavity Hole Size	247mm x 28mm
Mirror Polished	SLB1248MPSS	Black	Stainless Steel	Lifetime		

Available in





All Aluminium Letterplates


Salamander® Framemaster Firecheck

The patent protected Salamander® Fire Check Letterplates conform to BS/EN 1374:2002 standards

- 4 Fixing Posts
- Fire Retardant Frame
- Heat Protective Fixings
- Instrumental expands 50x its own height

Tested on:

- Solid Wooden Doorsets
- Foam Filled Doorsets



- Tested on:
- Solid Wooden Doorsets
 - Foam Filled Doorsets




Finishes	Product Code	Material Construction	Coating Guarantee	Sizes
Gold Anodised	FCLG1248G	Aluminium	10 Years Colour Fast	Distance Between Screw Holes: 272mm
Silver Anodised	FCLS1248S	Aluminium	10 Years Colour Fast	Letterplate Length: 300mm
Black Powder Coat	FCLB1248B	Aluminium	10 Years Colour Fast	Letterplate Height: 74mm
White Powder Coat	FCLW1248W	Aluminium	10 Years Colour Fast	Letterplate Width: 40-80mm
Polished Silver	FCLPS1248PS	Aluminium	10 Years Colour Fast	Cavity Hole Size: 257mm x 42mm

Finishes	Product Code 40-80mm	Plastic Frame Colour	Flap Material	Coating Guarantee	Sizes
Gold Anodised	FMB1248G-FR	Black	Aluminium	5 Years	Distance Between Screw Holes: 274mm
Silver Anodised	FMB1248SA-FR	Black	Aluminium	5 Years	Letterplate Length: 300mm
White Powder Coat	FMB1248W-FR	Black	Aluminium	5 Years	Letterplate Height: 65mm
Black Powder Coat	FMB1248B-FR	Black	Aluminium	5 Years	Frame Material: Plastic
PVD Gold	FCLPVDG	Black	Stainless Steel	Lifetime	Cavity Hole Size: 250mm x 39.75mm
Mirror Polished	FMB1248MPSS-FR	Black	Stainless Steel	Lifetime	
Satin Stainless	FCLSSS	Black	Stainless Steel	Lifetime	

Available in



Finishes	Product Code	Material Construction	Coating Guarantee	Sizes
PVD Gold	FCLSS1248PVDG	Stainless Steel	Lifetime	Distance Between Screw Holes: 272mm
Mirror Polished	FCLSS1248MPSS	Stainless Steel	Lifetime	Letterplate Length: 300mm
Satin Stainless	FCLSS1248SSS	Stainless Steel	Lifetime	Letterplate Height: 74mm
				Letterplate Width: 40-80mm
				Cavity Hole Size: 257mm x 42mm



10" Letterplates

Finishes	Product Code 20-40mm	Product Code 40-80mm	Plastic Frame Colour	Flap Material	Coating Guarantee
Gold Anodised	PMB1024G-MAX6	PMB1048G-MAX6	Black	Aluminium	5 Years
Silver Anodised	PMB1024SA-MAX6	PMB1048SA-MAX6	Black	Aluminium	5 Years
Black Powder Coat	PMB1024W-MAX6	PMB1048W-MAX6	Black	Aluminium	5 Years
White Powder Coat	PMB1024B-MAX6	PMB1048B-MAX6	Black	Aluminium	5 Years
PVD Gold	PMB1024PVDG-MAX6	PMB1048PVDG-MAX6	Black	Stainless Steel	Lifetime
Mirror Polished	PMB1024MPSS-MAX6	PMB1048MPSS-MAX6	Black	Stainless Steel	Lifetime
White Powder Coat	PMW1024W-MAX6	PMW1048W-MAX6	White	Aluminium	5 Years

12" Letterplates

Finishes	Product Code 20-40mm	Product Code 40-80mm	Plastic Frame Colour	Flap Material	Coating Guarantee
Gold Anodised	FMB1224G-MAX6	FMB1248G-MAX6	Black	Aluminium	5 Years
Silver Anodised	FMB1224SA-MAX6	FMB1248SA-MAX6	Black	Aluminium	5 Years
Black Powder Coat	FMB1224W-MAX6	FMB1248W-MAX6	Black	Aluminium	5 Years
White Powder Coat	FMB1224B-MAX6	FMB1248B-MAX6	Black	Aluminium	5 Years
PVD Gold	FMB1224PVDG-MAX6	FMB1248PVDG-MAX6	Black	Stainless Steel	Lifetime
Mirror Polished	FMB1224MPSS-MAX6	FMB1248MPSS-MAX6	Black	Stainless Steel	Lifetime
Satin Stainless	FMB1224SS-MAX6	FMB1248SS-MAX6	Black	Stainless Steel	Lifetime
White Powder Coat	FMW1224W-MAX6	FMW1248W-MAX6	White	Aluminium	5 Years

Sizes	
Distance Between Screw Holes	226mm
Letterplate Length	250mm
Letterplate Height	65mm
Frame Material	Plastic
Cavity Hole Size	197mm x 42mm

Sizes	
Distance Between Screw Holes	280mm
Letterplate Length	300mm
Letterplate Height	65mm
Frame Material	Plastic
Cavity Hole Size	250mm x 39mm



Euro Cylinders



Narrow Door Chains



Sliding Door Chains



Sash Jammers



Window Restrictors



Mortice Locks



Rack Bolts



Numerals



Door Knockers



+44(0) 161 796 7268
sales@uapcorporate.com
www.uapcorporate.com



UAP Limited, Unit 1
Albert Close Trading Est.
Whitefield, Manchester, M45 8EH