




INNOVATIVE DOOR HARDWARE SOLUTIONS

DOCUMENT Q PRODUCTS

TESTING



Introduction

Prided on product excellence and innovation; UAP Limited, have an unrivalled reputation for the products we supply and the service we provide.


As a company we work with industry leading, highly respected manufacturers, importing the very best goods from around the globe.

We take care of our customers by providing solutions to ANY door hardware requirements. This includes sophisticated door and window security solutions and attractive decorative furnishings; both for commercial and domestic needs.

At UAP we are constantly striving to improve on the products we already supply as well as develop new, pioneering ranges and practical product solutions.

With an in house testing centre and product developer, each stage of the development process is thorough, from the initial design right down to the final product.

In house 3D printing technology allows for further and more precise advancement of our products which are then expertly manufactured and put through stringent testing conditions using in house test equipment – ensuring all products are designed to the highest standards.



All Weather Machine

When placed in the all-weather machine a product is subjected to conditions including high UV exposure using a Xenon Arc Lamp which will accelerate UV degradation and measure how well a product can last in extreme conditions. Other conditions such as rain and extreme heat can be generated by the machine to expose products to all kinds of environments.



Salt Spray Test Machine

This machine tests the corrosion resistance of products such as letter plates, cylinders, door knockers, door letters/numerals, door viewers, handles and escutcheons.


The salt spray cabinet produces a corrosive environment, by releasing a dense saline fog into the chamber which the products are exposed to. This creates accelerated corrosion to the product and allows us to test how well the product would stand up in harsher environments.

Products are tested for differing lengths of time depending on the standard requirements; 480 hours for a 5 year guarantee or in the case of Nanocoast products they are tested to 2000 hours, and we give a LIFETIME coating guarantee.



UV Sunlight Test Machine

Used to test the colourfast of plastic and anodised products, the UV machine measures the stamina of a products finish, testing how quickly it will fade in sunlight. It does this using UV lights which the products are left under for 2000 hours.



Tensile Strength Test Machine

The tensile strength machine tests the resistance of a material to breaking under tension. It is used to see how well our door chains perform when pressure is applied to them, and makes sure the chains exceed 200Nm of force.



Letter Plate Flap Machine


By replicating the action of opening and closing the letter plates flaps, the machine can determine the durability of the hinge mechanism on the product.

The flaps are repeatedly opened and closed to ensure they can withstand thousands of openings without snapping or breaking, promising a product that will last much longer than others in the industry. The process is repeated to 100,000 repetitions – with only 15,000 required by testing standards. Tests are performed in accordance with BS EN 13724:2013.

Cylinder Cycle Machine

This sophisticated machine tests the rotational operation of cylinder locks, ensuring a lock will continue to function even after being used in thousands of openings. It replicates the action of a key being inserted into the cylinder and it being turned, just as a product would be operated when fitted into a door.

The product is tested to 100,000 repetitions to ensure it continues to function even after thousands of turns. It allows UAP to perform tests in accordance with BS EN 1303:2015 standards.



Door Handle Cycle Test

The machine imitates the action of the door being pushed down in an opening and repeats this 100,000 times, to test its durability. The axial and rotational operation of lever handles is being tested to make sure in can withstand numerous openings and remain functional. UAP perform the test in accordance with BS EN 1906:2015.

120 Degree Viewer Test

In order to meet Secured by Design specifications a door viewer must have a viewing angle of 120 degrees (60 degrees on either side). The test is conducted in accordance with DHF TS002:2009 standards.

Brands



UAP is one of the most widely recognised door hardware brands in the industry. The UAP brand consists of door knockers, door viewers, letterplates, door and window handles, numbers and letters, door locks, euro cylinders, mortice locks, window security and door security products. Every product is innovatively designed and constantly developed to ensure every product is of the highest quality and meets every customers requirements.

More information can be found at www.uapcorporate.com



MAX6MUM SECURITY is a range door hardware and security products aimed for the retail market. The range consists of blister packed high quality architecturally specified and low cost products that anyone can install to improve home security. MAX6 is fully backed by a huge marketing campaign featuring our brand mascot 'Max' which is perfect for any trade counter or hardware shop.

More information can be found at www.max6.co.uk



Tradelocks is one of the largest locksmith brands in the UK, providing locksmith tools to gain entry to a number of different domestic locks, cars and safes. Tradelocks supplies domestic locksmiths, auto locksmiths and safe locksmiths, as well as a number of auto recovery companies and government agencies.

More information can be found at www.tradelocks.co.uk



Genuine Lishi is one of the most recognised and trusted vehicle opening tool brands in the World. Genuine Lishi is supplied and distributed to over 80 countries, and is high sought after due to its high quality and innovative products, including the brand new NightVision 3 in 1 picks and decoders.

More information can be found at www.genuinelishi.com

48 Hour Delivery Policy*

Our 48 hour delivery promise is targeted on all stocked products.

5 Year Product Guarantee

All products inside this brochure come with up to a 5 year guarantee except the Nanocoast® range which is a lifetime coating guarantee.

Salt Spray Testing

All of our products in this catalogue have been salt spray tested to ASTM B117 for 480 hours, apart from the Nanocoast® range which has been salt spray tested for 2,000 hours.

Anodised Coatings

The anodised coating used on our Aluminium products conform to ISO 7599 AA15 and comes with a 10 year colour fastness guarantee.

Guarantee

The guarantees mentioned in this brochure are for guidance only and unless otherwise stated, only relates to products being used in inland areas which are defined as 25 miles from the coast, or 5 miles from highly polluted industrial areas. Please ask your UAP account manager for copies of the guarantee wording covering your product of interest and please talk to your account manager about any specific application you might have.

*48 hours means 2 working days. Product colours may vary slightly from the actual photograph.

Document Q Breakdown

Document Q is the Approved Document published by the Secretary of State; setting out the guidelines on how to meet the requirements of the Building Regulations 2010 for England. It covers the requirements in respect to security of 'easily accessible' doors and windows.

The Document came into action on the 1st of October 2015.

Who is responsible for the compliance?

The agent, designer, builder or installer responsible for the work being done is also responsible for compliance with the Building Regulations. The building OWNER may also be responsible for ensuring the work complies. If building work does not comply then the owner may be served with an enforcement notice.

Document Q: Security

What does the Building Regulations state and what Document Q sets out?

Document Q is concerned with security of 'easily accessible' doors and windows on NEW Dwellings. It deals with the requirements of Part Q of Schedule 1 of the Building Regulations 2010 known as Q1. The requirement (Q1) states: reasonable provision must be made to resist unauthorised access to:

- a) Any dwelling
- b) Any part of a building where access to a flat can be gained in that building

To meet the requirements, anything considered an easily accessible door or window must prove to be able to 'resist physical attack by a casual or opportunist burglar.' The Secretary of state says specified doors and windows must prove to be both 'sufficiently

robust' and 'fitted with the appropriate door hardware' to do this. Document Q gives guidance to building professionals on what is deemed sufficiently robust and what door hardware is considered necessary to meet these regulations on both doors and windows, as well as which doors and windows need to comply. **The guidelines only apply to work started after the 1st of October.** Any work subject to a building notice, full plans application or initial notice submitted before the 1st do not apply as long as the work is started on site before the 1st of October 2016.

What does the Document apply to?

All 'easily accessible' doors and windows that provide access in any of these circumstances:

- a) Into a house from the outside
- b) Into parts of a building, that contains flats, from the outside
- c) Into a flat from the common part of a building


What is considered an 'easily accessible' door or window?

An entry point is considered easily accessible when any part of either the door or window is within 2m vertically of an easily reach level surface; such as the ground, an access balcony or if it is on basement level. A window which is within 2m vertically of a flat or sloping roof that is within 3.5m of ground level is also deemed easily accessible.

Document Q: How to Meet Regulations

To ensure easily accessible doors and windows are compliant, you must guarantee they are deemed a secure doorset or window. If they have been tested and proved to meet security standards of British Standards publication PAS24:2012- this is considered compliance.

Other standards that provide a similar or better performance may be accepted and these are listed in the Approved Document. If it is a bespoke timber doorset which incorporates features that prove to reduce crime and fits within the specific dimension highlighted in the Document, then it is also considered compliant to the document.





Door Viewers (Spyholes)


Document Q States:

Door viewers are now considered essential hardware. They should be used when the main door for entering a dwelling does not have any other means of seeing a caller; so if there is no glass on or beside the door.


Door viewers are a great security accessory, as no door should be opened without first checking who in on the other side. Each door viewer has gone through rigorous testing, and some have been awarded 'Secured by Design' by the Association of Police Officers. Made with a solid brass body and comprising of 3 plastic lenses, each door viewer ensures to give crystal clear performance for years of safe, secure use.

We have a range of door viewer sizes, in a range of 6 different colours. As standard, the door viewers are salt spray tested for 480 hours, and come with a 5 year inland coating guarantee. Polished brass and chrome door viewers come with a PVD head, which helps prevent rust developing in coastal areas. Polished brass, chrome, black and white door viewers also come with a free privacy cover.






Secured by Design Door Viewers




Finishes	Product Code	Material Construction	Privacy Cover Included	PVD Head	Lens	Coating Guarantee
Polished Brass	CILBR-120	Brass	Yes	Yes	Glass	5 Years
Polished Chrome	CILCH-120	Brass	Yes	Yes	Glass	5 Years

Sizes	
Barrel Thickness	12mm
Extension	38-63mm
View Head Size	16mm

All Secured by Design door viewers must now have a minimum viewing angle of 120 degrees:




uPVC 20–35mm Door Viewers



Finishes	Product Code	Material Construction	Privacy Cover Included	PVD Head	Lens	Coating Guarantee
Polished Brass	CICBR	Brass	Yes	Yes	Plastic	5 Years
Polished Chrome	CICCH	Brass	Yes	Yes	Plastic	5 Years
White	CICWH	Brass	Yes	No	Plastic	5 Years
Black	CICBL	Brass	Yes	No	Plastic	5 Years
Gold Anodised	CICGA	Aluminium	No	No	Plastic	10 Years Colour Fast
Silver Anodised	CICSA	Aluminium	No	No	Plastic	10 Years Colour Fast

Sizes	
Barrel Thickness	12mm
Extension	20–35mm
View Head Size	16mm

Standard 38-63mm Door Viewers




Finishes	Product Code	Material Construction	Privacy Cover Included	PVD Head	Lenses	Coating Guarantee
Polished Brass	CILBR	Brass	Yes	Yes	Plastic	5 Years
Polished Chrome	CILCH	Brass	Yes	Yes	Plastic	5 Years
White	CILWH	Brass	Yes	No	Plastic	5 Years
Black	CILBL	Brass	Yes	No	Plastic	5 Years
Gold Anodised	CILGA	Aluminium	No	No	Plastic	10 Years Colour Fast
Silver Anodised	CILSA	Aluminium	No	No	Plastic	10 Years Colour Fast
PVD Gold	CILPVDG38-63-NANOCOAST	Stainless Steel	Yes	No	Glass	Lifetime
Mirror Polished	CILMPSS38-63-NANOCOAST	Stainless Steel	Yes	No	Glass	Lifetime
Satin Stainless	CILSSS38-63-NANOCOAST	Stainless Steel	Yes	No	Glass	Lifetime

Sizes	
Barrel Thickness	12mm
Extension	38–63mm
View Head Size	16mm

Wide Angle Door Viewers

With 12mm barrels for openings 35–55mm




Finishes	Product Code	Material Construction	Privacy Cover Included	PVD Head	Lens	Coating Guarantee
Polished Brass	CVPLBR	Brass	Yes	Yes	Plastic	5 Years
Polished Chrome	CVPLCH	Brass	Yes	Yes	Plastic	5 Years
Black	CVPLBL	Brass	Yes	No	Plastic	5 Years
White	CVPLWH	Brass	Yes	No	Plastic	5 Years
Gold Anodised	CVPLGA	Aluminium	No	No	Plastic	10 Years Colour Fast
Silver Anodised	CVPLSA	Aluminium	No	No	Plastic	10 Years Colour Fast

Sizes	
Barrel Thickness	12mm
Extension	35–55mm
View Head Size	26mm

Wide Angle Door Viewers

With 14mm barrels for openings 35–55mm



Finishes	Product Code	Material Construction	Privacy Cover Included	PVD Head	Lens	Coating Guarantee
Polished Brass	CVPLBR14	Brass	Yes	Yes	Plastic	5 Years
Polished Chrome	CVPLCH14	Brass	Yes	Yes	Plastic	5 Years

Sizes	
Barrel Thickness	14mm
Extension	35–55mm
View Head Size	26mm

Signature 55-75mm Door Viewers




Finishes	Product Code	Material Construction	Privacy Cover Included	PVD Head	Lens	Coating Guarantee
Polished Brass	SDV125575BR	Brass	Yes	Yes	Plastic	5 Years
Polished Chrome	SDV125575CH	Brass	Yes	Yes	Plastic	5 Years
Black	SDV125575BL	Brass	Yes	No	Plastic	5 Years
White	SDV125575WH	Brass	Yes	No	Plastic	5 Years

Sizes	
Barrel Thickness	12mm
Extension	55-75mm
View Head Size	16mm




Marine Grade Door Viewer
With 12mm barrels for openings 35-55mm



Finishes	Product Code	Material Construction	Privacy Cover Included	PVD Head	Lens	Coating Guarantee
PVD Gold	CVPLPVDG-NANOCOAST	Stainless Steel	Yes	Yes	Glass	Lifetime
Mirror Polished	CVPLMPSS-NANOCOAST	Stainless Steel	Yes	Yes	Glass	Lifetime
Satin Stainless	CVPLSSS-NANOCOAST	Stainless Steel	Yes	Yes	Glass	Lifetime

Sizes	
Barrel Thickness	12mm
Extension	35-55mm
View Head Size	26mm

Ultra Wide Angle Secure to View™ Door Viewers
With 38mm barrels for openings 55–62mm



Finishes	Product Code	Material Construction	Privacy Cover Included	PVD Head	Lens	Coating Guarantee
Gold Plastic Frame	STVG	Plastic	No	Yes	Plastic	5 Years
Silver Plastic Frame	STVS	Plastic	No	Yes	Plastic	5 Years
PVD Gold	STVSG	Metal	No	No	Plastic	5 Years
PVD Chrome	STVSC	Metal	No	No	Plastic	5 Years

Sizes	
Barrel Thickness	38mm
Extension	55–62mm
View Head Size	60mm





Salamander Firecheck Viewers
With 12mm barrels for openings 35–55mm



Polished Brass

Polished Chrome

Finishes	Product Code	Material Construction	Privacy Cover Included	PVD Head	Lens	Coating Guarantee
Polished Brass	SWALFBR-FR	Brass	Yes	Yes	Plastic	5 Years
Polished Chrome	SWALFCH-FR	Brass	Yes	Yes	Plastic	5 Years
Satin Chrome	SWALFSC-FR	Brass	Yes	Yes	Plastic	5 Years

Sizes	
Barrel Thickness	14mm
Extension	35–55mm
View Head Size	26mm

Salamander Firecheck Viewers With
38mm barrels for openings 55–62mm



Gold Plastic Frame

Silver Plastic Frame

Finishes	Product Code	Material Construction	Privacy Cover Included	PVD Head	Lens	Coating Guarantee
Gold	STVG-FR	Plastic	No	No	Plastic	5 Years
Silver	STVS-FR	Plastic	No	No	Plastic	5 Years

Sizes	
Barrel Thickness	38mm
Extension	55–62mm
View Head Size	60mm



Anti-Vandal™ Letterplates



Anti-Vandal

As the brushes are at the front, it acts as a visual deterrent against vandals who want access to the cavity to place unwanted items in there such as fireworks etc.

Document Q States:

If a door includes a letter plate it must have a maximum opening of 260mm X 40mm and must be both designed and located in such a way that impedes anyone inserting their hand or any device to hook or remove keys – for example by incorporating a flap or another access restricting feature.

Our Anti-Vandal letterplates are one of the only letterplates in the industry to be awarded 'Secured by Design' certification. Each letterplate has been engineered to provide features not found in any other letterplates, each incorporating the following features:

Anti-Vandal™ – We are the only letterplate in the industry to have the brushes outward facing on the exterior flap. By doing this, it has three huge advantages:

Draught Proofing – It allows for better draught installation, as it stops the draught at the point of entry instead of allowing it to get into the central cavity before trying to stop it.

Navigation – It makes it a lot easier for letters to be posted through the door as the brushes can easily be located therefore stopping letters being scrunched up.


Limits Access to the Cavity – As the brushes are at the front, it acts as a visual deterrent against vandals who want access to the cavity to place unwanted items in there such as fireworks etc.

Anti-Snap – All of our letterplates open 180 degrees, meaning that they won't snap off when they are opened too far (the problem with all 90 degree opening letterplates).

Each letterplate has ultra-flexible springs which can withstand thousands of openings without breaking. An internal water seal also prevents water getting into the door, as water travels along the cavity and down the side of the letterplate, meaning post does not get wet.


Anti-Burglar – Blind bolts to the exterior of the letterplate prevent the outer frame being unscrewed from the door externally.

Anti-Scratch – The plastic frame letterplates have a matt coated frame. This helps to conceal any scratches that may be caused by screwdrivers during installation, which are visible on shiny finishes.



12" Framemaster Letterplates

For 20–40mm and 40–80mm Door Profiles



**39
mm
Sleeve
Height**

39mm cavity requires a 39.75mm door cut height. This is under the 40mm maximum for the standard, so someone’s arm can’t fit through.



Finishes	Product Code 20-40mm	Product Code 40-80mm	Plastic Frame Colour	Flap Material	Coating Guarantee
Gold Anodised	FMB1224G	FMB1248G	Black	Aluminium	5 Years
Silver Anodised	FMB1224SA	FMB1248SA	Black	Aluminium	5 Years
White Powder Coat	FMB1224W	FMB1248W	Black	Aluminium	5 Years
Black Powder Coat	FMB1224B	FMB1248B	Black	Aluminium	5 Years
PVD Gold	FMB1224PVDG -NANOCAST	FMB1248PVDG -NANOCAST	Black	Stainless Steel	Lifetime
Mirror Polished	FMB1224MPSS -NANOCAST	FMB1248MPSS -NANOCAST	Black	Stainless Steel	Lifetime
Satin Stainless	—	FMB1248SSS -NANOCAST	Black	Stainless Steel	Lifetime
White Powder Coat	FMW1224W	FMW1248W	White	Aluminium	5 Years


Sizes	
Distance Between Screw Holes	280mm
Letterplate Length	305mm
Letterplate Height	67mm
Frame Material	Plastic
Cavity Hole Size	250mm x 39.75mm

Available in



12" All Stainless Steel Letterplates

For 40–80mm Door Profiles



Finishes	Product Code	Material Construction	Coating Guarantee	Sizes	
PVD Gold	FMSS1248PVDG-NANOCOAST	Stainless Steel	Lifetime	Distance Between Screw Holes	272mm
Mirror Polished	FMSS1248MPSS-NANOCOAST	Stainless Steel	Lifetime	Letterplate Length	305mm
Satin Stainless	FMSS1248SSS-NANOCOAST	Stainless Steel	Lifetime	Letterplate Height	76mm
				Letterplate Width	40-80mm
				Cavity Hole Size	257mm x 39.75mm

Available in



12" All Aluminium Letterplates

For 40–80mm Door Profiles




Finishes	Product Code	Material Construction	Coating Guarantee	Sizes	
Gold Anodised	FMG1248G	Aluminium	10 Years Colour Fast	Distance Between Screw Holes	272mm
Silver Anodised	FMS1248S	Aluminium	10 Years Colour Fast	Letterplate Length	305mm
White Powder Coat	FMW1248WALU	Aluminium	10 Years Colour Fast	Letterplate Height	76mm
Black Powder Coat	FMB1248BALU	Aluminium	10 Years Colour Fast	Letterplate Width	40-80mm
Polished Silver	FMPS1248PS	Aluminium	5 Years inland	Cavity Hole Size	252mm x 39.75mm



10" Petitemaster Letterplates

For 40–80mm Door Profiles




Finishes	Product Code 20-40mm	Product Code 40-80mm	Plastic Frame Colour	Material	Coating Guarantee
Gold Anodised	PMB1024G	PMB1048G	Black	Aluminium	5 Years
Silver Anodised	PMB1024SA	PMB1048SA	Black	Aluminium	5 Years
White Powder Coat	PMB1024W	PMB1048W	Black	Aluminium	5 Years
Black Powder Coat	PMB1024B	PMB1048B	Black	Aluminium	5 Years
PVD Gold	PMB1024PVDG -NANOCOAST	PMB1048PVDG -NANOCOAST	Black	Stainless Steel	Lifetime
Mirror Polished	PMB1024MPSS -NANOCOAST	PMB1048MPSS -NANOCOAST	Black	Stainless Steel	Lifetime
White Powder Coat	PMW1024W	PMW1048W	White	Aluminium	5 Years

Sizes	
Distance Between Screw Holes	226mm
Letterplate Length	253mm
Letterplate Height	67mm
Frame Material	Plastic
Cavity Hole Size	197mm x 42mm



12" Slimline Letterplates

For 40–80mm Door Profiles



Gap wide enough to fit thick letters and brochures through


Finishes	Product Code 40-80mm	Plastic Frame Colour	Material	Coating Guarantee
Gold Anodised	SLB1248G	Black	Aluminium	5 Years
Silver Anodised	SLB1248SA	Black	Aluminium	5 Years
White Powder Coat	SLB1248W	Black	Aluminium	5 Years
Black Powder Coat	SLB1248B	Black	Aluminium	5 Years
PVD Gold	SLB1248PVDG-NANOCOAST	Black	Stainless Steel	Lifetime
Mirror Polished	SLB1248MPSS-NANOCOAST	Black	Stainless Steel	Lifetime

Sizes	
Distance Between Screw Holes	277mm
Letterplate Length	300mm
Letterplate Height	53mm
Frame Material	Plastic
Cavity Hole Size	247mm x 28mm





For 24–80mm Door Profiles



Soft, Flexible Brushes

The brushes are made from plastic, and are moulded in to remove the lost brush issues on inferior products.

Unique Un-Sprung Hinge

As the letterplate uses no springs, and uses gravity to close the letterplate, it eliminates the 'broken spring' syndrome.

Click to Close Feature

This Patent Pending design uses magnets to keep the letterplate closed and secure.


iPlate®

Finishes	Product Code	Material Construction	Coating Guarantee	Sizes	
Gold Anodised	IPLATEGA	Aluminium	10 Years Colour Fast	Distance Between Screw Holes	280mm
Silver Anodised	IPLATESA	Aluminium	10 Years Colour Fast	Letterplate Length	310mm
Black Powder Coat	IPLATEB	Aluminium	10 Years Colour Fast	Letterplate Height	75mm
White Powder Coat	IPLATEW	Aluminium	10 Years Colour Fast	Letterplate Width	24-80mm
PVD Gold	IPLATEPVDG-NANOCOAST	Stainless Steel	Lifetime	Cavity Hole Size	257mm x 42mm
Mirror Polished	IPLATEMPSS-NANOCOAST	Stainless Steel	Lifetime		
Satin Stainless	IPLATESSS-NANOCOAST	Stainless Steel	Lifetime		

Available in



For 40–80mm Door Profiles



The all New DOORMASTER® letterplate range is ideal for customers wanting a more modern and contemporary looking letterplate. The DOORMASTER® range consists of an enclosed, rounded flap set against a shallower frame, giving a less intrusive but sleek feel to the door or frame.

12" Sizes

Distance Between Screw Holes	275mm
Letterplate Length	299mm
Letterplate Height	65mm
Letterplate Width	24-80mm
Cavity Hole Size	256mm x 42mm

Doormaster®

Finishes	Product Code 10"	Product Code 12"	Plastic Frame Colour	Flap Material	Coating Guarantee
Gold Anodised	DMB1048G	DMB1248G	Black	Aluminium	5 Years
Silver Anodised	DMB1048S	DMB1248S	Black	Aluminium	5 Years
Black Powder Coat	DMB1048B	DMB1248B	Black	Aluminium	5 Years
White Powder Coat	DMB1048W	DMB1248W	Black	Aluminium	5 Years
Polished Silver	DMB1048PS	DMB1248PS	Black	Aluminium	5 Years

10" Sizes

Distance Between Screw Holes	226mm
Letterplate Length	250mm
Letterplate Height	65mm
Letterplate Width	Plastic
Cavity Hole Size	205mm x 42mm




Salamander® Framemaster Firecheck

The patent protected Salamander® Fire Check
Letterplates conform to BS/EN 1374:2002 standards

- 4 Fixing Posts
- Fire Retardant Frame
- Heat Protective Fixings
- Instrumescent expands 50x its own height

Tested on:

- Solid Wooden Doorsets
- Foam Filled Doorsets



Finishes	Product Code 40-80mm	Plastic Frame Colour	Flap Material	Coating Guarantee
Gold Anodised	FMB1248G-FR	Black	Aluminium	5 Years
Silver Anodised	FMB1248SA-FR	Black	Aluminium	5 Years
White Powder Coat	FMB1248W-FR	Black	Aluminium	5 Years
Black Powder Coat	FMB1248B-FR	Black	Aluminium	5 Years
PVD Gold	FMB1248PVDG-FR-NANOCOAST	Black	Stainless Steel	Lifetime
Mirror Polished	FMB1248MPSS-FR-NANOCOAST	Black	Stainless Steel	Lifetime
Satin Stainless	FMB1248SSS-FR-NANOCOAST	Black	Stainless Steel	Lifetime


Sizes	
Distance Between Screw Holes 4 Fixings	272mm x 30mm
Letterplate Length	305mm
Letterplate Height	67mm
Frame Material	Plastic
Cavity Hole Size	254mm x 47mm

Available in



certifireLetterplates

All Aluminium Letterplates



Black Powder Coat



Mirror Polished



PVD Gold



White Powder Coat



Silver Anodised

Finishes	Product Code	Material Construction	Coating Guarantee	Sizes	
Gold Anodised	FMG1248G-FR	Aluminium	10 Years Colour Fast	Distance Between Screw Holes	274mm
Silver Anodised	FMS1248S-FR	Aluminium	10 Years Colour Fast	Letterplate Length	305mm
Black Powder Coat	FMB1248BALU-FR	Aluminium	10 Years Colour Fast	Letterplate Height	76mm
White Powder Coat	FMW1248WALU-FR	Aluminium	10 Years Colour Fast	Letterplate Width	40-80mm
Polished Silver	FMPS1248PS-FR	Aluminium	10 Years Colour Fast	Cavity Hole Size	260mm x 48mm



- Tested on:
- Solid Wooden Doorsets
 - Foam Filled Doorsets



Satin Stainless

nanocoast[®]
hardware
Resilient to salt air

All Stainless Steel Letterplates



Mirror Polished



PVD Gold



Finishes	Product Code	Material Construction	Coating Guarantee	Sizes	
PVD Gold	FMSS1248PVDG-FR-NANOCOAST	Stainless Steel	Lifetime	Distance Between Screw Holes	274mm
Mirror Polished	FMSS1248MPSS-FR-NANOCOAST	Stainless Steel	Lifetime	Letterplate Length	305mm
Satin Stainless	FMSS1248SSS-FR-NANOCOAST	Stainless Steel	Lifetime	Letterplate Height	76mm
				Letterplate Width	40-80mm
				Cavity Hole Size	260mm x 48mm



Stainless Steel

This product is aimed at the fabricator who wants to offer a high quality, ergonomically designed handle range but who doesn't want to get involved in fitting a cylinder guard. This fit and forget handle is packed with state of the art features, and can be used by the professional installer offering a security upgrade service.

Features:

Anti-Drill Resistance – The integrated cylinder guard helps protect your door from drilling attacks

Easy Fitting and Attack Resistance – The self-adhesive tabs ensure not only easy and secure fitting also further strengthen the door handle against possible attacks

Water Penetration Resistance – The self-adhesive tabs also aid in preventing water from penetrating between the door and handle, thus preventing corrosion, discoloration, and premature aging

Cylinder and Handle Snapping Protection – Once fitted onto the door, the door handle is developed so as to help protect from the most common break in methods, cylinder and handle snapping

- 2 star Kitemarked
- Integrated cylinder guard to resist drilling attacks
- Protects against cylinder snapping
- Self-adhesive tabs add to the attack resistance and assists easy fitting, as well as aiding water penetration resistance
- Highly durable
- Made from aero-space grade aluminium for gold anodised, silver anodised, black and white finishes
- Made from 304 grade stainless steel for PVD gold, mirror polished and satin stainless finishes



Made from aero-space grade aluminium for gold anodised, silver anodised, black and white finishes

Made from 304 grade stainless steel for PVD gold, mirror polished and satin stainless finishes

Sprung and unsprung, spring can be easily removed



Blind cylinder end works with UAP cylinder range (must use 30/35 (65mm) cylinder on 44mm doors)



Ergonomically shaped handle

Self-adhesive tabs add to the attack resistance and assists easy fitting, as well as aiding water penetration resistance





High Security Door Handles

With 219mm short backplate



Available in





Finishes	Backplate 219mm	Material Construction	Coating Guarantee
Gold Anodised	HSH219GA	Aluminium	10 Years Colour Fast
Silver Anodised	HSH219SA	Aluminium	10 Years Colour Fast
White Powder Coat	HSH219WH	Aluminium	10 Years Colour Fast
Black Powder Coat	HSH219BL	Aluminium	10 Years Colour Fast
PVD Gold	HSH219PVDG -NANOCOAST	Stainless Steel	Lifetime
Mirror Polished	HSH219MPSS -NANOCOAST	Stainless Steel	Lifetime
Satin Stainless	HSH219SSS -NANOCOAST	Stainless Steel	Lifetime

High Security Door Handles

With 243mm long backplate



Cassette
Supplied



Finishes	Backplate 243mm	Material Construction	Coating Guarantee
Gold Anodised	HSH243GA	Aluminium	10 Years Colour Fast
Silver Anodised	HSH243SA	Aluminium	10 Years Colour Fast
White Powder Coat	HSH243WH	Aluminium	10 Years Colour Fast
Black Powder Coat	HSH243BL	Aluminium	10 Years Colour Fast
PVD Gold	HSH243PVDG -NANOCOAST	Stainless Steel	Lifetime
Mirror Polished	HSH243MPSS -NANOCOAST	Stainless Steel	Lifetime
Satin Stainless	HSH243SSS -NANOCOAST	Stainless Steel	Lifetime

2* Cylinder Guards

The TS 007:2012 2 Star cylinder guard offers the most affordable way to three star security, when combined with a UAP Zero Lift 1 Star Cylinder. Cylinder guards are ideal for door manufacturers and fabricators who want a low cost, high quality route to Secured by Design 3 star status.

The Patent Pending Cylinder Guard offers flexibility as it can be used with any handle and will fit almost any Euro Cylinder.

Designed to combat drill attacks, it has many patented features not found on other cylinder guards:

Anti-Drill Design—shaped body prevents drill attacks

Low cost route to 3 star status

2 versions covers 95% Multi Point Locks in the market

BSi Kitemark TS 007: 2012 2 Star

CGVA

Unique Hardened Steel Anti Drill Plate

Pointed Anti-Drill High Tensile Steel Bolt

Patent Pending Anti-Axial Rotation Lugs

Conforms to latest EN1303:2012 standards

CGVB

Official Police Security Initiative

UAP High Security Escutcheon

To make the door furniture suite together, we have introduced a range of UAP escutcheons which are designed go around the UAP euro cylinders in order to create a professional looking door. These escutcheons can be suited to the UAP door knob in order to give a colour matched door hardware solution!

Mirror Polished

PVD Gold

Satin Stainless Steel

Official Police Security Initiative

Finishes	Product Code	Coating Guarantee
PVD Gold	HSEPVDG-NANOCOAST	Lifetime
Satin Stainless	HSESSS-NANOCOAST	Lifetime
Mirror Polished Stainless Steel	HSEMPSS-NANOCOAST	Lifetime



UAP High Security Secured by Design Narrow Door Chains

Document Q States:
These doors must now also have a door chain or limiter, when it is appropriate. Full information on which standards are compliant and other details on meeting requirements are listed in the Approved Document under doors or windows.

Made from steel, the door chains are made extra strong with individually welded links, and can withstand an exceeding breaking force of 200Nm. The door chains consist of three parts; the chain, the holder and the receiving plate and also comes with fixing screws.

- Features
- Exceeds breaking force of 200Nm
 - Extra strong individually welded links
 - Made from steel
 - Fits any door
 - Up to a 2 year guarantee



Polished Brass



Polished Chrome



Finishes	Narrow Door Chain	Material Construction	Guarantee
Polished Brass	DCBN-TS003	Steel	2 Years
Polished Chrome	DCCHN-TS003	Steel	2 Years
Satin Silver	DCSSN-TS003	Steel	2 Years

UAP Sliding Door Chains



Polished Brass



Polished Chrome



Satin Silver

Finishes	Sliding Door Chain	Material Construction	Guarantee
Polished Brass	DCB	Steel	2 Years
Polished Chrome	DCCH	Steel	2 Years
Satin Silver	DCSS	Steel	2 Years

Identity Card Entry Slots

The ID Card Entry Slot is the ultimate security accessory for protection against rogue traders and bogus callers. It enables the homeowner to check the ID of a caller without having to open the door; they simply lift up the sliding latch on the inside to allow the caller to slip the card through.

The ID Card Entry Slot allows the occupier to receive the ID Card easily without the awkward fumbling that occurs when trying to receive it through the letterbox. It also enables the occupier to thoroughly check the ID without the pressure of the caller standing in the doorway.

This ID Slot also acts as a visual deterrent to would 'be-criminals; it shows them that the homeowner is aware of and prepared for bogus callers.



Finishes	20-40mm	40-80mm	Material Construction
Polished Gold	–	ICE4080PVDG-SIGNATURE	Zinc
Polished Chrome	–	ICE4080CH-SIGNATURE	Zinc
White	–	ICE4080W-SIGNATURE	Zinc
Black	–	ICE4080B-SIGNATURE	Zinc
PVD Gold	ICE2040PVDG-NANOCOAST	ICE4080PVDG-NANOCOAST	Stainless Steel
Mirror Polished	ICE2040MPSS-NANOCOAST	ICE4080MPSS-NANOCOAST	Stainless Steel



UAP Window Closer / Sash Jammer

Sash Jammers are a must have security device for uPVC windows and doors. They offer quick and low cost addition security for the home. The sash jammers can be fitted to doors or windows which

open in or out, preventing the levering of the sash or door leaf. With just a twist of the sash jammer handle, it is secured over the frame, offering resistance to deter forced entry.


Comes with 1mm and 2mm Packers



Finishes	Product Code
White	SJWHITE
Brown	SJBROWN

UAP 3* Kinetica Cylinder Powered by Fullex

UAP and Fullex have joined forces to launch our very own 3* Kitemarked Cylinder - Kinetica. The 3* cylinder market has been growing over the last 12 months or so with fabricators understanding the consumer need for greater door security without having to upgrade handles or add extra security devices. UAP and Fullex worked together to try and develop the best value for money 3* cylinder on the market.



ANTI SNAP

Patent applied for anti tilt mechanism - In normal anti snap cylinders once a cylinder is snapped at the outside end, the inner section is heavier and will tilt allowing the burglar a small gap to gain access to the bolt. But the Fullex anti tilt ring stops this happening.



ANTI BUMP

Patented anti-bump timing pin system – This very clever system uses nickel plated hardened steel key pins and driver pins to interrupt the timing of the pins when bumped, and it is highly effective.



ANTI DRILL

4 x hardened steel anti-drill pins are in each side of the cylinder. Plus all moving pins are nickel plated hardened steel 50 HRC minimum.



ANTI PICK

Minimum of 3 anti-pick pins in each side of the cylinder makes it extremely difficult for a common burglar to pick the cylinder.





UAP 3* Kinetica Cylinder Powered by Fullex

NEW



Double Cylinders

Overall Size	Split (X-10-X)	Split (X/X)	Brass Code	Satin Nickel	Polished Chrome
70mm	30-10-30	35/35	KIN30/30BAS	KIN30/30NAS	KIN30/30CAS
80mm	35-10-35	40/40	KIN35/35BAS	KIN35/35NAS	KIN35/35CAS
95mm	40-10-45	45/50	KIN40/45BAS	-	KIN40/45CAS
100mm	40-10-50	45/55	KIN40/50BAS	-	KIN40/50CAS
100mm	45-10-45	50/50	KIN45/45BAS	-	KIN45/45CAS
100mm	50-10-40	55/45	KIN50/40BAS	-	KIN50/40CAS

Stocked Keyed Alike Cylinders



Overall Size	Split (X-10-X)	Split (X/X)	Brass Code	Satin Nickel	Polished Chrome
70mm	30-10-30	35/35	KIN30/30BASKAP	KIN30/30NASKAP	KIN30/30CASKAP
80mm	35-10-35	40/40	KIN35/35BASKAP	KIN35/35NASKAP	KIN35/35CASKAP
95mm	40-10-45	45/50	KIN40/45BASKAP	-	KIN40/45CASKAP
100mm	40-10-50	45/55	KIN40/50BASKAP	-	KIN40/50CASKAP
100mm	45-10-45	50/50	KIN45/45BASKAP	-	KIN45/45CASKAP

Thumbturn Cylinders

Overall Size	Split (X-10-X)	Split (X/X)	Brass Code	Satin Nickel	Polished Chrome
70mm	30T-10-30	35T/35	KIN30T/30BAS	KIN30T/30NAS	KIN30T/30CAS
100mm	45T-10-45	50T/50	KIN45T/45BAS	-	KIN45T/45CAS

Kinetica thumbturn cylinders incorporate Patented Push-2-Turn technology:

Push
2
Turn



UAP+ Zerolift Advance Cylinders



The UAP+ Cylinder is the best choice for inexpensive home security installation. Created in accordance with the British Standards KM561977, and also awarded the "Secured by Design" approval by the Association of Chief Police Officers, the high quality 6 pin Kitemarked Euro Cylinder can be fitted to any external door in order to ward off criminals that attempt to use the most popular break-in methods.

The cylinders have been tested to EN1303:2005, and is also 1 hour fire resistant! Each cylinder is packed full of security features, and is part of UAP's super smooth cylinders using the Chris Belcher designed anti-bump timing pin system. This very clever system uses nickel plated hardened steel key pins and driver pins, which gives the anti-drill feature we wanted to incorporate.


The Patented timing pins are designed to interrupt the timing of the pins when bumped, and it is highly effective. And because we use special pins rather than trap pins, we do not have a high expense to get this anti-bump feature! The timing pins also have inbuilt anti-picks, and mushroom driver pins, which makes them highly effective against picking.

We have in-house locksmiths which offer you the option to have keyed alike cylinders, or create customised and complex mastersuite systems.

Take a look at some of the secure safety features of the UAP+ euro cylinders:




Available with
a removable thumbturn




SACRIFICIAL CUT

The cylinder has a Sacrificial cut on each side, so when force is applied to either end, the cylinder will break away to the sacrificial cut line only, leaving the remaining cylinder operational and the locking mechanism intact.



Over 800,000 different key combinations!

Unrestricted keyway makes it easier for customers to get keys cut using the UAP key blank



UAP Key Blank

Conforms to latest EN1303:2005 standards

Full keyed alike and mastersuite services available

ANTI BUMP

The cylinder has a unique and patented anti-bump system which does not use trap pins. This system makes the turning of the cylinder key extra smooth.

ANTI DRILL

7 x hardened steel anti-drill pins are in each side of the cylinder. Plus all moving pins are nickel plated hardened steel 50 HRC minimum.

ANTI PICK

Minimum of 3 anti-pick pins in each side of the cylinder makes it extremely difficult for a common burglar to pick the cylinder.



Double Cylinders



Overall Size	Split (X-10-X)	Split (X/X)	Brass Code	Nickel Code
60mm	25-10-25	30/30	ZL25/25BAS	ZL25/25NAS
70mm	25-10-35	30/40	ZL25/35BAS	ZL25/35NAS
70mm	30-10-30	35/35	ZL30/30BAS	ZL30/30NAS
75mm	25-10-40	30/45	ZL25/40BAS	ZL25/40NAS
80mm	25-10-45	30/50	ZL25/45BAS	ZL25/45NAS
80mm	30-10-40	35/45	ZL30/40BAS	ZL30/40NAS
80mm	35-10-35	40/40	ZL35/35BAS	ZL35/35NAS
85mm	30-10-45	35/50	ZL30/45BAS	ZL30/45NAS
85mm	35-10-40	40/45	ZL35/40BAS	ZL35/40NAS
90mm	30-10-50	35/55	ZL30/50BAS	ZL30/50NAS
90mm	40-10-40	45/45	ZL40/40BAS	ZL40/40NAS
90mm	35-10-45	40/50	ZL35/45BAS	ZL35/45NAS
95mm	35-10-50	40/55	ZL35/50BAS	ZL35/50NAS
95mm	40-10-45	45/50	ZL40/45BAS	ZL40/45NAS
100mm	35-10-55	40/60	ZL35/55BAS	ZL35/55NAS
100mm	40-10-50	45/55	ZL40/50BAS	ZL40/50NAS
100mm	45-10-45	50/50	ZL45/45BAS	ZL45/45NAS
100mm	25-10-65	30/70	—	ZL25/65NAS
105mm	45-10-50	50/55	ZL45/50BAS	ZL45/50NAS
110mm	40-10-60	45/65	ZL40/60BAS	ZL40/60NAS
110mm	45-10-55	50/60	ZL45/55BAS	ZL45/55NAS

Eurocell Modus
The Landlords Lock
Triple Glazing



Push button removable end

Thumbturn Cylinders

Thumbturn on T side



Overall Size	Split (X-10-X)	Split (X/X)	Brass Code	Nickel Code
60mm	25T-10-25	30T/30	ZL25T/25BAS	ZL25T/25NAS
70mm	30T-10-30	35T/35	ZL30T/30BAS	ZL30T/30NAS
80mm	30-10-40T	35/45T	ZL30/40TBAS	ZL30/40TNAS
80mm	30T-10-40	35T/45	ZL30T/40BAS	ZL30T/40NAS
80mm	35T-10-35	40T/40	ZL35T/35BAS	ZL35T/35NAS
85mm	30T-10-45	35T/50	ZL30T/45BAS	ZL30T/45NAS
85mm	35T-10-40	40T/45	ZL35T/40BAS	ZL35T/40NAS
90mm	30-10-50T	35/55T	ZL30/50TBAS	ZL30/50TNAS
90mm	30T-10-50	35T/55	ZL30T/50BAS	ZL30T/50NAS
90mm	35-10-45T	40/50T	ZL35/45TBAS	ZL35/45TNAS
90mm	35T-10-45	40T/50	ZL35T/45BAS	ZL35T/45NAS
90mm	40T-10-40	45T/45	ZL40T/40BAS	ZL40T/40NAS
95mm	35-10-50T	40/55T	ZL35/50TBAS	ZL35/50TNAS
95mm	35T-10-50	40T/55	ZL35T/50BAS	ZL35T/50NAS
95mm	40T-10-45	45T/50	ZL40T/45BAS	ZL40T/45NAS
100mm	45T-10-45	50T/50	ZL45T/45BAS	ZL45T/45NAS
100mm	40T-10-50	45T/55	ZL40T/50BAS	ZL40T/50NAS
100mm	40-10-50T	45/55T	ZL40/50TBAS	ZL40/50TNAS
100mm	25-10-65T	30/70T	—	ZL25/65TNAS
100mm	25T-10-65	30T/70	—	ZL25T/65NAS
105mm	45-10-50T	50/55T	ZL45/50TBAS	ZL45/50TNAS
105mm	45T-10-50	50T/55	ZL45T/50BAS	ZL45T/50NAS
110mm	45-10-55T	50/60T	ZL45/55TBAS	ZL45/55TNAS
110mm	45T-10-55	50T/60	ZL45T/55BAS	ZL45T/55NAS

Eurocell Modus

Eurocell Modus

Triple Glazing

Triple Glazing

Double Black Cylinders



Overall Size	Split (X-10-X)	Split (X/X)	Product Code
60mm	25-10-25	30/30	ZL25/25BLACK
65mm	25-10-30	30/35	ZL25/30BLACK
70mm	30-10-30	35/35	ZL30/30BLACK
80mm	30-10-40	35/45	ZL30/40BLACK
80mm	35-10-35	40/40	ZL35/35BLACK

Single Black Cylinders



Overall Size	Split (X-10-X)	Split (X/X)	Product Code
40mm	25-10-5	30/5	ZL25/10BLACK
45mm	30-10-5	35/5	ZL30/10BLACK
50mm	35-10-5	40/5	ZL35/10BLACK

Thumbturn BlackCylinders

Thumbturn on T side



Overall Size	Split (X-10-X)	Split (X/X)	Product Code
60mm	25T-10-25	30T/30	ZL25T/25BLACK
65mm	25-10-30T	30/35T	ZL25/30TBLACK
65mm	25T-10-30	30T/35	ZL25T/30BLACK
70mm	30T-10-30	35T/35	ZL30T/30BLACK
80mm	35T-10-35	40T/40	ZL35T/35BLACK



Double Flint Cylinders

Overall Size Split (X-10-X) Split (X/X) Product Code

70mm	30-10-30	35/35	ZL30/30FAS
80mm	35-10-35	40/40	ZL35/35FAS



Thumbturn Flint Cylinders

Thumbturn on T side

Overall Size Split (X-10-X) Split (X/X) Product Code

70mm	30T-10-30	35T/35	ZL30T/30FAS
80mm	35T-10-35	40T/40	ZL35T/35FAS



Double Chrome Cylinders

Overall Size Split (X-10-X) Split (X/X) Product Code

70mm	30-10-30	35/35	ZL30/30CAS
80mm	35-10-35	40/40	ZL35/35CAS




Thumbturn Chrome Cylinders

Thumbturn on T side

Overall Size Split (X-10-X) Split (X/X) Product Code

70mm	30T-10-30	35T/35	ZL30T/30CAS
80mm	35T-10-35	40T/40	ZL35T/35CAS



Anti-Pick




Anti-Drill



Anti-Bump

1* Budget Cylinders

Overall Size	Split (X-10-X)	Split (X/X)	Brass Code	Nickel Code
70mm	30-10-30	35/35	35/35BZL	35/35NZL
80mm	35-10-35	40/40	40/40BZL	40/40NZL
95mm	40-10-45	45/50	45/50BZL	45/40NZL



1* Budget Thumbturn Cylinders

Overall Size	Split (X-10-X)	Split (X/X)	Brass Code	Nickel Code
70mm	30T-10-30	35T/35	35T/35BZL	35T/35NZL
80mm	35T-10-35	40T/40	40T/40BZL	40T/40NZL
95mm	40T-10-45	45T/50	45T/50BZL	45T/40NZL



Anti-Pick




Anti-Drill



Anti-Bump

1* Budget Half Cylinders

Overall Size	Split (X-10-X)	Split (X/X)	Brass Code	Nickel Code
40mm	30-10	35/5	30/10BZL	—
45mm	35-10	40/5	35/10BZL	—
50mm	40-10	45/5	40/10BZL	40/10NZL



1* Budget Half Thumbturn Cylinders

Overall Size	Split (X-10-X)	Split (X/X)	Brass Code	Nickel Code
50mm	40T-10	45T/5	40T/10BZL	40T/10NZL



INNOVATIVE DOOR HARDWARE SOLUTIONS

Unit 1 Albert Close Trading Estate
Whitefield, Manchester
M45 8EH
England, UK

uapcorporate.com
sales@uapcorporate.com

0161 796 7268