

FIREMONGERY®

Compliance made easy

Fire Rated
Hardware Packs
and General
Range

Internal Door



FIRE DOOR HARDWARE
DESIGNED TO SAVE
LIVES



**Fire door
keep shut**

The FIREMONGERY® Range

About

Finding the right products for fire doors is critical, as it can save lives. Firemongery® is able to provide a quick and fool proof way to ensure that only fully compliant ironmongery for fire doors is selected. The Firemongery® range allows you to choose the right products with confidence.

FIREMONGERY Packs

Our FIREMONGERY® packs have been carefully selected by our hardware experts - allowing you to choose with full confidence.



Quick and Easy

Pick the right product every time using our product selector



Fully Certified

All products certified where applicable



Selected by Experts

Robust products by industry experts

All products are CE certified and Certifire marked where applicable.

FIREMONGERY General Range

Finding the right products for fire doors is critical, as it can save lives. Firemongery® is a quick and fool proof way to select fully compliant ironmongery for fire doors.

Combining performance and value


FIREMONGERY PACKS

SASHLOCK PACK



Lever operated with euro lock

- Pack includes:
- Hinges
 - Lever Handle
 - Europrofile Sashlock
 - Cylinder
 - Escutcheon
 - Fire Sign




Product	Description	Finish	Code	QTY.
Hinges	100X76mm Ball Bearing	SSS	HINGE-SS201-FIRE-SQUARE-SSS	3
Lever Handle	19mm RTD Lever on Rose	SSS	IHC-54.608.19.SSS	1
Europrofile Sashlock	Din Standard Lockcase	SSS	LL-11.861.SSS	1
Cylinder	70mm Cylinder & Turn	SSS	TL35T/35N	1
Escutcheon	Euro Profile Escutcheon	SSS	IHC-51.608.3.SSS	2
Fire Sign	Fire Door Keep Shut	SSS	LL-60 601 SS7	2

DEADLOCK PACK



Euro deadlock and cylinder
Optional pull pack 07 available

- Pack includes:
- Hinges
 - Europrofile Deadlock
 - Cylinder
 - Escutcheon
 - Fire Sign



Product	Description	Finish	Code	QTY.
Hinges	100X76mm Ball Bearing	SSS	HINGE-SS201-FIRE-SQUARE-SSS	3
Europrofile Deadlock	UK/Din Standard Lockcase	SSS	LL-12.861.SSS	1
Cylinder	70mm Cylinder & Turn	SSS	TL35T/35N	1
Escutcheon	Euro Profile Escutcheon	SSS	IHC-51.608.3.SSS	2
Fire Sign	Fire Door Keep Shut	SSS	LL-60 601 SS7	2

FIREMONGERY PACKS



LATCH PACK

Lever operated - non lockable latch

- Pack includes:
- Hinges
 - Lever Handle
 - Latch Case
 - Fire Sign



Product	Description	Finish	Code	QTY.
Hinges	100X76mm Ball Bearing	SSS	HINGE-SS201-FIRE-SQUARE-SSS	3
Lever Handle	19mm RTD Lever on Rose	SSS	IHC-54.608.19.SSS	1
Latch Case	UK/Din Standard Lockcase	SSS	LL-13.862.SSS	1
Fire Sign	Fire Door Keep Shut	SSS	LL-60 601 SS7	2



PUSH/ PULL PACK

Complete set for pull handle installation

- Pack includes:
- Hinges
 - Pull Handle
 - Push Plate
 - Fire Sign




Product	Description	Finish	Code	QTY.
Hinges	100X76mm Ball Bearing	SSS	HINGE-SS201-FIRE-SQUARE-SSS	3
Pull Handle	300mm X19mm B/T Pull Handle	SSS	IHC-LA06	1
Push Plate	330mm x 75mm Push Plate	SSS	IHC-LA23	1
Fire Sign	Fire Door Keep Shut	SSS	LL-60 601 SS7	2

FIREMONGERY RANGE

LEVER HANDLES

19mm Dia RTD Lever

- Round bar 'return to door' lever pre-fixed to a sprung rose
- Supplied with 'bolt through' and face fixings
- Metal inner rose
- 8mm spindle supplied
- Conforms to the dimensional requirements of BS 8300
- Rose dimensions 50Ø x 8mm



Type	Product Code	Finish	Material
19mm Dia RTD Lever on Sprung 10mm Rose	IHC-54.608.19.SSS	Stainless Steel	304 Grade SSS
19mm Dia RTD Lever on Sprung 10mm Rose	IHC-54.198.SSS	Stainless Steel	201 Grade SSS



Box Quantity

BS EN standards

Complete with fixing screws

Fire rated

FIREMONGERY RANGE



Lever Handles

- Tubular stainless steel lever handles
- Lever handles pre-fixed to sprung round roses
- Concealed fix roses with matching escutcheons
- BS EN 1906 - category of use Grade 3
- 8mm spindle and bolt through fixings supplied
- Grade 304 stainless steel throughout
- 5 year guarantee



19mm Dia RTD Lever on Sprung 10mm Rose

Product Code	Size	Rose	Finish
IHC-54.630.6.SSS	135 x 19mmØ – Straight	Round 53Ø x 7mm	SSS



19mm Dia L-Shaped Sharp Corner On Rose

Product Code	Size	Rose	Finish
IHC-54.631.6.SSS	135 x 19mmØ – Straight	Round 53Ø x 7mm	SSS



19mm Dia Arched T Lever on Rose

Product Code	Size	Rose	Finish
IHC-54.632.6.SSS	140 x 19mmØ – Arched	Round 53Ø x 7mm	SSS



19mm Dia T Shaped Lever on Rose

Product Code	Size	Rose	Finish
IHC-54.633.6.SSS	140 x 19mmØ – Straight	Round 53Ø x 7mm	SSS

FIREMONGERY RANGE

Escutcheons

- A series of escutcheons with concealed fixings for use with Commercial Range rose mounted levers or pull handles
- Escutcheon dimensions 50Ø x 8mm
- Supplied with face fixings

Product Code	Type
IHC-51.608.3.SSS	Euro profile
IH-ESC.STD.SSS	Lever Key
LL-51.800.0.SSS	Blind Escutcheon



Bathroom Indicator & Turns

- A rose mounted indicator & turn for bathroom locks
- Escutcheon dimensions 50Ø x 8mm
- Also available with an extended turn for the less able
- Each turn supplied with appropriate indicator
- Supplied with face fixings

Product Code	Type
IH-ESC.BATH.SSS	Standard turn
IHC-51.608.425.SSS	Extended turn



Flush Bolts & Bolt Sockets

Lever action flush bolts, primarily intended for mounting in the leading edge or inside face of the normally closed leaf of a pair of doors or a leaf and a half.

- Meets the performance requirements of BS EN 12051
- Smooth lever action
- 13mm diameter shoot
- Radius end and square end variants
- EN Classification 4 3 - 1 1 3 1




Type	Product Code	Finish
200x20mm Lever Action Flush Bolt	LL-34.003.2 SSS	SSS
450x20mm Flushbolt (Radius)	LL-34.004.SSS	SSS
200x20mm Lever Action Flush Bolt	LL-34.104.2 SSS	SSS
Dust Socket	LL-34.029.4 SSS	SSS
Easy Clean Socket	LL-34028.SCP	SCP



Pull Handles



- Supplied complete with M8 fixings to suit timber doors
- Available in 19mm diameters
- For push/pull applications select an appropriate push plate for the other side of the door
- Pull handles of 300mm centres meet the requirements of BS 8300



Type	Product Code	Size	Finish
D Handle	IHC-LA06	300 x 19mm	SSS
D Handle	IHC-LA77	450 x 19mm	SSS
D Handle	IHC-LA100	600 x 19mm	SSS

D Handle Back to Back	IHC-LA08	300 x 19mm	SSS
D Handle Back to Back	IHC-LA78	450 x 19mm	SSS
D Handle Back to Back	IHC-LA101	600 x 19mm	SSS

Push Plates



- Push plates for use with bolt through pull handles
- Square corners drilled & countersunk – supplied complete with screws
- Plate thickness 1.5mm
- Grade 304

Type	Product Code	Size	Finish
Push Plate	IHC-LA23	330X 75mm	SSS
Push Plate	IHC-LA23.500	500X 75mm	SSS
Push Plate	IHC-LA23.650	650X 75mm	SSS

FIREMONGERY RANGE

Hinges


- A series of square and radius cornered hinges
- BS EN 1935 Grade 13
- Polished or Satin Stainless Steel



Type	Product Code	Size	Finish
Class 13 Ball Bearing Hinge Square	HINGE-SS201-FIRE-SQUARE-SSS	100 x 76mm	SSS
Class 13 Ball Bearing Hinge Radius	HINGE-SS201-FIRE-RADIUS-SSS	100 x 76mm	SSS

Door Closers

- Fire and smoke control
- Security
- Noise control
- Environmental/heat loss
- Privacy



Type	Product Code	Finish
Fixed Power Size 3 Closer (No Cover)	IH-DCL.CE1.SI	SILVER
Power Size 2-4 Closer	LL-FDC-SNP-2-4	SSS
Electromagnetic Closer	LL-TS7004.SSS	SSS

Door Stops

- Floor and skirting/wall mounted door stops
- Skirting mounted door stops in varying lengths
- Floor mounted door stop
- See chart opposite for finishes


Type	Product Code	Product Code
Floor Mounted Half Moon Door Stop	IH-DST.OVL.SCP	SCP
Wall Mounted Projection Door Stop	32.800.1 SSS	SSS
Floor Mounted 40mm	32.803.SSS	SSS



Lockcases

Euro Profile Mortice Lockcases


An integrated series of modular euro profile cylinder mortice lockcases designed to meet the requirements of BS EN 12209



- Slimline case with 4 variants
- Modular design allows interchangeability of lock models
- Meets the requirements of BS EN12209
- 60mm backset
- Bolt through hardware fixings
- 20mm double throw deadbolt
- Quick reversible latchbolt
- Springing suitable for unsprung lever furniture
- Single piece forend with matching strike plate
- Optional radiused or square forend styles
- Meets BS 8300 dimensional recommendations making it suitable for Equality Act



Type	Product Code	Finish
72mm Din Sashlock Square	LL-11.861.SSS	SSS
Din Standard Deadlock Square	LL-12.861.SSS	SSS
Din Standard Latch Square	LL-13.861.SSS	SSS
Din Standard Bathroom Square	LL-13.862.SSS	SSS
72mm Din Sashlock Radius	LL-11.861R.SSS	SSS
Din Standard Deadlock Radius	LL-12.861R.SSS	SSS
Din Standard Latch Radius	LL-13.861R.SSS	SSS
Din Standard Bathroom Radius	LL-13.862R.SSS	SSS



FIREMONGERY RANGE

Lockcases - UK Style

A series of UK style mortice cylinder lockcases in 64mm and 76mm case sizes

- Two part forend
- Brass deadbolt with hardened steel 'anti-saw' rollers
- Radiused deadbolt design
- Suitable for bolt through lever assemblies
- Forends and strikes are satin zinc plated finish or satin stainless steel only



Type	Product Code	Finish
UK Style Sashlock 76mm	IH-SASH.54.12.75.SSS	SSS
UK Style Deadlock 76mm	IH-DEAD.54.10.75.SSS	SSS
UK Style Bathroom Lock	IH-BAT.54.05.75.SSS	SSS
UK Style Latch	IH-LAT.54.02.75.SSS	SSS



Cylinders

A series of euro profile cylinders to suit both European and UK lock cases

- Euro profile cylinders are available as standard differ or masterkeyed
- Choice of cylinder lengths to suit different door and hardware thicknesses
- Satin nickel plated finish
- Standard differ cylinders supplied with 3 keys
- Masterkey cylinders supplied with 2 keys

Type	Product Code	Finish
70mm Cylinder & Turn	TL35T/35N	SSS
80mm Cylinder & Turn	TL40T/40N	SSS
60mm Double Cylinder	TL30/30N	SSS
70mm Double Cylinder	TL35/35N	SSS
80mm Double Cylinder	TL40/40N	SSS




Signage

A comprehensive range of face fixed symbols for general application in WC and washroom facilities and on fire door applications.

- Supplied with face fixing screws
- 76mm diameter
- Available in all finishes
- Fire signs comply with BS5499:5 2002



Type	Product Code	Finish
Fire Door Keep Shut	LL-60 601.SSS	SSS
Fire Door Keep Locked	LL-60 602.SSS	SSS
Fire Door Keep Locked Shut	LL-60 603.SSS	SSS
Keep Locked Shut	LL-60 604.SSS	SSS
Automatic Fire Door Keep Clear	LL-60.617.SSS	SSS
Fire Door Keep Clear	LL-60 618.SSS	SSS
Fire Exit Keep Clear	LL-60 619.SSS	SSS
Male	LL-60 605.SSS	SSS
Female	LL-60 606.SSS	SSS
Disabled	LL-60 607.SSS	SSS
Unisex	LL-60 608.SSS	SSS
Shower	LL-60 609.SSS	SSS
B Change	LL-60 621.SSS	SSS
WC	LL-60 622.SSS	SSS
Push	LL-60 623.SSS	SSS
Pull	LL-60 624.SSS	SSS



MILOS 900

MILOS 900 cylinders are the ultimate convenience solution for masterkey systems making them ideal for large complex commercial applications.

- 10 Pin key biting system produces over 1.6 million key differs
- Mushroom shaped driver provides pick resistance
- Drill resistant hardened steel pin and driver in first position
- Self-lubricating projecting DIN standard sintered steel cam provides push resistance
- Phosphor bronze springs
- Additional functions available:
 - Classroom function
 - Anti-barricade function
 - Key override
 - Easy Egress turn
- EN 1303 classification for:
 - Durability Grade 6
 - Key Security Grade 6
 - Attack Resistance Grade 2 (when used with a security escutcheon in accordance with EN 1906)

Typical applications include:

- Commercial offices
- University campus
- Schools
- Hospitals and other healthcare applications
- Public buildings



MILOS 600

MILOS 600 is a new patented range of high quality cylinders with the highest level of certified testing for both durability and key related security.

- 6 Pin key biting system produces over 100,000 key differs
- Mushroom shaped driver provides pick resistance
- Hardened steel anti-drill pin and driver in first position
- Paracentric key profile to enhance pick resistance
- Patented Bump Pin as optional extra
- Phosphor bronze springs
- Minimum of 6 hardened anti-drill pins in the body & core
- EN 1303 classification for:
 - Durability Grade 6
 - Key Security Grade 6
 - Attack Resistance Grade 2*

- Additional functions:
 - Classroom function
 - Anti-barricade function
 - 1, 2, 3 cylinder function
 - Personnel function
 - Key override
 - Construction keying
 - Easy Egress turn
- TS007 3 Star Standard
 - Bump pin as standard
 - Sacrificial break slot available

Typical applications include:

- Commercial offices
- University campus
- Schools
- Hospitals and other healthcare applications
- Public buildings



MILOS 100

MILOS 100 cylinders are a flexible and highly versatile range of cylinders which combine good levels of security with convenience. It is an ideal system for medium security applications and where the convenience of key duplication is required.

- Sacrificial cut as a standard
- Anti Drill as a standard
- Anti Pick as a standard
- Anti Bump available
- Unrestricted key section for ease of local key duplication
- Over 100,000 differs
- Six pin as standard
- Classroom function available
- Clutch/barricade function available
- DDA turn available
- Comprehensive range of offset sizes available
- Scandinavian, rim and threaded cylinders available
- Conforms to EN1303:2015
- Available in a range of finishes including, Satin Nickel, Brass, Polished Chrome, Black. Colour matching available

Typical applications include:

- Commercial offices
- Factories/industrial
- Residential developments
- Care homes

Patent
Protected



Sacrificial Cut




Anti-Drill



Anti-Pick



Anti-Bump



SERIES COMPARISON



	MILOS 900	MILOS 600	MILOS 100
Patented system (to 2032)		Patent protected	
Restricted key duplication	◆	◆	
No. of Pins	10	6	6
Suitable for simple masterkeying	◆	◆	◆
Suitable for complex masterkeying	◆	◆	
Max. differs under simple MK system	28,000	18,000	1,400
TS007 3 Star		◆	
Anti-Bump feature		◆	◆
Classroom function	◆	◆	◆
Anti-barricade function	◆	◆	◆
1, 2, 3 function		◆	
Personnel function		◆	
Key override function	◆	◆	
Construction keying		◆	
EN 1303 Grades			
Durability	Grade 6	Grade 6	Grade 6
Key Related Security	Grade 6	Grade 6	Grade 6
Attack Resistance	Grade 2	Grade 2	Grade 2
CE Classification	1 6 0 1 0 C 6 2	1 6 0 1 0 C 6 2	1 6 0 1 0 C 6 2
Sacrificial Cut As Standard			◆

FIREMONGERY®

Compliance made easy

Allow your customers to choose with full confidence with our **pick up and go packs**, selected by experts. Complete with full retail display and customer literature.

- ✓ **Quick and easy**
Customers pick the right product everytime using our product selector
- ✓ **Selected by experts**
Robust products by industry experts
- ✓ **Pick up and go packs**
Everything for your customer in one place
- ✓ **Fully certified**
All products certified where applicable

Helps your customer select the right certified product in 3 easy steps



Select the right fire door products for you in 3 easy steps

Step 1

Do you need the door to lock?

Yes

No

Do you require a door lever?

Yes

No

Pack 01
Sashlock Pack

Pack 06
Pull Handle
Push Plate
Pack



Pack 02
Deadlock
Pack

Do you require a door lever?

Yes

No

Pack 03
Latch
Pack

Pack 06
Pull Handle
Push Plate
Pack



Pack 10
Hinge
Pack

Step 2

Is it a double door?

Yes

No

Pack 07
Flush Bolts
Sockets & Sign



Pack 08
Hinge
Pack

Step 3

What closer is required?

For more information, see other side of leaflet

Pack 04
Budget Closer
Fixed Power
Size 3

Pack 05
Economy Closer
Power Adjustable
Size 2-4

Please note: Intumescent packs are not included but are available to order. Always check the door manufacturer's fire test evidence.



Brands



www.uapcorporate.com
sales@uapcorporate.com
0161 796 7268

UAP Limited
Unit 1 Albert Close Trading Estate
Whitefield
Manchester
M45 8EH
England, UK